Posted at: 13:23



Balance of Performance SRO GT4 CARS COTA



BALANCE OF PERFORMANCE FOR:

COTA

These balance of performance measures are the result of the tests, research, analysis and projections performed by SRO Ltd and are the sole property of SRO Ltd. Other series promoters, race organisers and national sporting authorities cannot use all or part of them without SRO Ltd's prior written consent. Any contravention will result in a legal action.

Remarks:

- Additional BOP Ballast must be installed according to the GT4 Technical Regulations
- ECU BOP maps are saved in the dataloggers for scrutineering.
- $\operatorname{GT4}$ Cars are only eligible if presented with $\operatorname{GT4}$ homologation file and SRO $\operatorname{GT4}$ Certificate
- SRO GT Bureau can use any parameter for BOP purposes and can change the BOP of any car at any moment during the event.
- Engine reference data (iA, Lambda, Fuel inj, Cam In/Out, airbox pressure) is the one collected during BOP tests and will be used for checks. If noted differently in comments the (e.g. iA, Lambda, Fuel inj, Cam In/Out, airbox pressure) is set as reference.
- Turbo cars with adaptable Pboost have to apply ratio approach. Ratio (Pboost Map/1000mbar x Official Atmospheric Pressure)
- Turbo cars without adaptable phoost, identified by * in the BOP sheet, need to add +20 kg per 20 mbar ambient pressure delta under 1000mbar, this means + 20 kg at Patmo of 980mb, +40 kg at Patmo of 960 mbar and +60 kg at Patmo of 940 mbar
- BMW M4 GT4 G82 adapt at Patmo via LT. Reference is 1000 mbar, -1 LT must be applied per -20 mbar Patmo, this means -1 LT at Patmo of 980mb, -2 LT at Patmo of 960 mbar and -3 LT at Patmo of 940 mbar.
- Aero devices can not be covered by paint, vinyl or tape. Only cut out lettering is allowed on the top surface of the wing and official stickers on the wing end plates.
- Minimum starting pressure 1,30 bar
- Maximum rear static camber -3,5°



Balance of Performance SRO GT4 CARS COTA



Make	Model	Min Weight kg	BOP Ballast kg	Total weight	Ride Height Front	Ride Height Rear	Comments
Aston Martin	Vantage AMR GT4	1445	+50	1495	93	102	SRO 2020 MAP 3 ECU BOP 2020
Aston Martin	Vantage AMR GT4 EVO *	1475	+50	1525	93	102	* MAP Restricted 3 ECU BOP 2024
BMW	G82 M4 GT4	1480	+40	1520	138,90	149,50	MAP: 4 LT: -1 ECU BOP 10/2022
McLaren	Artura GT4	1320	+50	1370	77	95	MAP SRO Restr 3 ECU BOP 2023
Mercedes	AMG GT4	1435	+40	1475	93	96	Power Level 2 ECU MAP BOP 2025
Porsche	718 Cayman GT4 RS CS	1330	+50	1380	97	100	Restrictor 53,7mm ECU BOP 2022
Toyota	GR Supra GT4 EVO 2	1390	+65	1455	165	165	Silver Power Stick ECU MAP BOP 2025